



NOTE:  
THE ANCHORING LENGTH FOR LONGITUDINAL REINFORCEMENT  
ARE IN COMPLIANCE WITH THE NORMATIVES P2-85  
THE IMPORTANCE CLASS OF THE BUILDING IS II  
NOTA:  
ARMATURILE LONGITUDINALE AU LUNGIMI DE ANCORARE CONFORM  
NORMATIVELOR P2/1985  
CLASA DE IMPORTANTA A CONSTRUCTIEI ESTE II

PLAIN CONCRETE: C8/10  
REINFORCED CONCRETE: C12/15  
CEMENT CEM I/II-A-M32.5R  
STRUCTURAL STEEL OB37,PC52

BETON SIMPLU:C8/10  
BETON ARMAT: C12/15  
CIMENT CEM I/II-A-M32.5R  
OTEL BETON OB37,PC52

Detaliu C



VERIFICATOR		NAME		SEMANTURA		GERINTA		REFERAT / EXPERTIZA NR. / DATA			
M.L.P.A.T.											
PROJECT DESIGN COORDINATOR: COORDINATOR PROJECT: <div></div> THE LOUIS BERGER GROUP, INC											
DESIGNER/PROJECTANT: BUCHAREST SCHOOLS INFRASTRUCTURE REHABILITATION / REABILITAREA INFRASTRUCTURII EDUCATIONALE IN MUNICIPIUL BUCURESTI											
<div></div> BENEFICIARY/BENEFICIAR MUNICIPALITY OF BUCHAREST PRIMARIA MUNICIPIULUI BUCURESTI											
				M4							
				M3							
				M2							
				M1							
Model				Date/Data		DESIGNED BY/PROJECTAT		VERIFIED BY/VERIFICAT		PROJ. DIR./SEF PROJECT	