

Ion Stancu

S = 2500m.p.

BLOC 49

ANEXA 1

A¹⁰f^b
8658
108-311
Stat

(3)

CALUSARI

(3)

BLOC 54
8528
60-272
Stat

BLOC 55
2420
40-113
Stat

BLOC 53
2308
30-131
Stat

BLOC 1017
70.16
70.38
70.27

PT. 50
71.58

PT. 25
73.87

73.85
69.27
71.14

73.39
70.38

71.89

73.67

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23

74.23


74.23

74.23

74.23

74.23

7




S = 2500m.p.

Ion Stancu
ANEXA 1

CALUSARI

D
i
m
b
o
r
i
a
SR UNIEI X ABARDE TURDEASA
ANEXA 2
R
u
l
D



SUPRAFATA=12111m.p.

A
U
T
O
B
I
L
I
A

depozit
materie
construc
120

TENNIS STICELI
317
327

C.I.T.S.A.I.A.
Coloana 1
GIURGIU

ANEXA 2
HCEMB nr. 202/1

NTR TARZAU

SPL

scaldorie
aer
200

AB
135

S.3500

P.1056

Cabinet
ponta

51m
55

31m
56

31m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56

64m
56